

INTERLOCKING RUBBER TILING




ORIGINAL MANUFACTURERS

**New York Belting and
Packing Co.**

91-93 Chambers Street

New York City

INTERLOCKING RUBBER TILING



ORIGINAL MANUFACTURERS

New York Belting and
Packing Co.

91-93 Chambers Street

New York City

New York Belting and Packing Company

Original Manufacturers

Interlocking Rubber Tiling

Noiseless

Sanitary

Non-Slippery

Fire-Resisting

Waterproof

Odorless

The Most Durable Floor Made

Manufactured of high-grade rubber, in two skillfully designed tiles which interlock perfectly. The special impervious liquid cement employed in the laying hermetically seals the entire surface, rendering the floor absolutely water and germ proof and making it impossible for the tiles to become separated or loosened from the underfloor.

Many artistic color effects can be produced by combining any of the following colors: red, white, light and dark green, buff, salmon, black, light and dark gray, blue and light and dark brown.

Can be laid on any smooth and level foundation—of wood or cement—by any mechanic of ordinary ability, or installed complete by us if desired.

New York Belting and Packing Company

Interlocking Rubber Tiling




$\frac{3}{8}$ inch thick

The Best Floor for

Residences,	Court Houses,
Churches,	Clubs,
Banks,	Hospitals,
Office Buildings,	Libraries,
Theatres,	Railroad Cars,
Steamships, etc.	

New York Belting and Packing Company

Interlocking Rubber Tiling



Bank Lobby

Universally recognized as the ideal floor for bank lobbies, vaults, working spaces, passageways, etc.

Forms a noiseless, non-slippery, sanitary floor and is so durable as to last indefinitely under the most severe traffic conditions.

New York Belting and Packing Company

Interlocking Rubber Tiling




St. Mary's Church, Newark, N. J.

For church aisles, vestibules, etc., a noiseless floor is demanded.

Interlocking Rubber Tiling meets this requirement; is dignified in appearance; non-slippery and artistic and possesses lasting qualities that are unequalled.

New York Belting and Packing Company

Interlocking Rubber Tiling



Common Pleas Court Room
Cuyahoga County Court House, Cleveland, Ohio

One hundred thousand square feet installed in this building. The court room floor must be silent and serviceable and conform in coloring and design with the interior decorations. Interlocking Rubber Tiling is being specified by leading architects for all places where such a floor is required.

New York Belting and Packing Company

Interlocking Rubber Tiling



Kitchen, Horton Residence, Middletown, N. Y.

The hygienic floor for the kitchen and bath. Absolute cleanliness and freedom from germs are assured by installing Interlocking Rubber Tiling.

Non-absorbent, waterproof and non-slippery.

New York Belting and Packing Company

Interlocking Rubber Tiling




Plate No. 29

The soft, rich texture of the rubber adds a touch of luxury to rooms equipped with our floors.

The colors are permanent, unobtrusive and produced in a variety of harmonious shades.

New York Belting and Packing Company

Interlocking Rubber Tiling



Plate H

Will not absorb stains nor impurities. Ordinary washing renders the floor bright and clean, and produces a lustre on the surface.

Indestructible, non-slippery and noiseless.

New York Belting and Packing Company

Interlocking Rubber Tiling



Plate No. 28

Especially adapted for steamships and floating equipment as it is absolutely unaffected by strains or vibration. The best floor for quarter-decks, stairways, passageways, dining saloons, smoking rooms, etc.

New York Belting and Packing Company

Interlocking Rubber Tiling




Plate No. 32

In use for many years on the steamers of the Fall River Line, Hudson Navigation Co., and the ferry boats of the Pennsylvania and Lackawanna Railroad Companies, which demonstrates its extraordinary durability where the traffic is most severe.

New York Belting and Packing Company

Interlocking Rubber Tiling



Plate No. 41

The elevator floor, whether in office building, hotel or department store, is subjected to an enormous amount of wear and tear. The superiority of Interlocking Rubber Tiling for this purpose will be readily appreciated.

New York Belting and Packing Company

Interlocking Rubber Tiling




Plate J

This booklet contains a few simple patterns suitable for general use. Special designs to harmonize with any color scheme will be sent on request.

New York Belting and Packing Company



Fig. 1
Interlocking Rubber
Nosing





Fig. 2
Polished Brass
Nosing



Sanitary Rubber Base

New York Belting and Packing Company

Interlocking Rubber Tiling

Interlocking Rubber Nosing (Fig. 1) in connection with Rubber Tiling forms a safe, non-slippery stair tread. Made in five sizes, for iron, wood or marble steps, and in any color.

Polished Brass Nosing (Fig. 2) $1\frac{1}{2}$ in. wide by $\frac{3}{16}$ in. thick—for wood treads. Especially recommended for public buildings, steamships and places where the traffic is excessive.

Sanitary Rubber Base protects wood-work and walls against discoloration when cleaning floors. Made from the same high grade rubber as the tiling, in any color and in continuous lengths without joints. Suitable for stair risers.

New York Belting and Packing Company

NEW YORK CITY,
91-93 Chambers Street.

PHILADELPHIA, PA.,
821-823 Arch Street.

CHICAGO, ILL.,
130 West Lake Street.

PITTSBURG, PA.,
420 First Avenue.

ST. LOUIS, MO.,
218-220 Chestnut Street.

SAN FRANCISCO, CAL.,
129-131 First Street.

BOSTON, MASS.,
232 Summer Street.

LONDON, ENGLAND,
11-13 Southampton Row.

INTERLOCKING RUBBER TILING



NEW YORK BELTING & PACKING CO.

For all Floors Subject to Hard Wear
there is nothing to equal

Interlocking Rubber Tiling

*Many installations of this material, laid by
us twenty to twenty-five years ago, are
in good condition today and rendering
satisfactory service.*

ADVANTAGES. In addition to the durability, which alone would make it the most desirable floor, rubber tiling is sanitary and easily cleaned. On account of the non-absorbent nature of rubber it is impossible for stains of any kind to penetrate. The joints between the tiles are sealed with the cement used in laying, preventing the entrance of germs or impurities.

Readily cleans by mopping with cleaning powder and water.

Rubber tile floors are practically noiseless, due to the yielding of the rubber under foot. This makes for quietness and luxurious comfort.

Gives a safe foothold owing to the non-slippery surface.



Plate 50

Should a tile become damaged through accident, repairs can easily be made by simply replacing the broken tile with a new one without disturbing the remainder of the floor. Any section of the floor can be taken up to get at pipes or wires underneath and replaced after such repairs are made.

COLORS AND DESIGNS. Made in twelve rich shades: Blue, red, white, light green,



Plate 28

dark green, black, buff, salmon, slate, light chocolate, dark chocolate and pearl gray. Colors are permanent and no amount of wear and tear can affect them. Many harmonious designs are offered, making it possible to meet any scheme of decoration. Our service department will submit suggestions for color treatment if desired. Samples may be had on application.




Plate J

USES. In all places subject to unusual wear, rubber tiling makes a permanent, sanitary floor: Public buildings, clubs, hospitals, railway stations, stores, offices, banks, steamships, residences, etc. For hallways, vestibules, stairways, elevators, kitchens, bathrooms, libraries, or wherever the good appearance and low upkeep cost is a factor.




Plate 44

LAYING. Any mechanic, by following carefully prepared instructions can lay these floors without difficulty. Applied over any smooth foundation by cementing the tiling in place with a special liquid cement furnished by us. Or the tiling can be installed by our mechanics if desired.

DESCRIPTION. Made in two well designed shapes that interlock with perfectly tight joints.




Plate 41

Tiles measure $2\frac{3}{8}$ " X $2\frac{3}{8}$ ", thickness is $\frac{3}{8}$ inch. Compounded from high grade rubber with sufficient resiliency to yield slightly under foot. Colors extend clear through the full thickness of the tile.

ESTIMATES. On receipt of blue prints or sketches showing floor space we shall be glad to submit estimate, either for the tiling unlaied or for a complete job, installed by our mechanics.

INTERLOCKING RUBBER TILING



NEW YORK BELTING & PACKING CO.

New York
Boston
Chicago
Philadelphia



Pittsburgh
St. Louis
Salt Lake City
San Francisco

Partial List of stores where it is in use—*Continued*

Maynard Shoe Company, Kansas City, Mo.
 Lederman Cigar Co., Kansas City, Mo.
 Brown Shoe Company, St. Louis, Mo.
 The May Company, St. Louis, Mo., and Cleveland, O.
 James Edgar & Co., Boston, Mass.
 Cohn Brothers, Brooklyn, N. Y.



Manufactured under our Patent and sold only by us and our Authorized Agents. Beware of Infringers. Estimates, Designs and Samples furnished on application. Send for Special Catalogue.

Patented and Manufactured solely by

NEW YORK BELTING & PACKING CO., LTD.
 150 Lake Street, Chicago, Ill.

NEW YORK
BOSTON

ST. LOUIS

PHILADELPHIA
SAN FRANCISCO

Interlocking Rubber Tiling




Sole Manufacturers

**New York Belting &
 Packing Co., Ltd.**

150 Lake Street
 CHICAGO, ILL.

NEW YORK ST. LOUIS
 PHILADELPHIA BOSTON
 SAN FRANCISCO



INTERLOCKING RUBBER TILING

is especially adapted to store entrances, passageways, aisles, etc., on account of its wonderful wearing qualities and its non-slipping feature; it adapts itself to any shape and may be designed in perfect keeping with any surroundings. Names or crests may be embodied in the design, and the tiling being non-absorbent, will not stain or take up impurities and may be easily cleaned.

Each tile is interchangeable and distinct, but shaped so as to lock firmly into the surrounding tiles. The interlocking feature produces a solid rubber floor, unlimited in size or shape, with all the durability of the hard tile, without its liability to damage.

Its extensive use has demonstrated its many advantages as shown by the following partial list of stores where it is in use:

Kalish Drug Store, New York City
H. O'Neill & Co., New York City
Simpson, Crawford Co., New York City
Brill Bros., New York City
Siegel Cooper Co. (*Entrance to "L"*), New York City
Wallach's, New York City
Knox the Hatter, New York City
Fleischmann, Florist, New York City
United Cigar Stores, New York City and Chicago
Lambert, New York City
Abraham & Straus, Brooklyn, N. Y.
Frederick Loeser & Co., Brooklyn, N. Y.
A. D. Matthews Sons, Brooklyn, N. Y.
A. I. Namm, Brooklyn, N. Y.
Moe Levy & Co., Brooklyn, N. Y.
Sorosis Shoe Store, Brooklyn, N. Y.
Montgomery, Ward Co., Chicago, Ill.
Marshall Field Co., Chicago, Ill.
Mandel Bros., Chicago, Ill.
Baltimore Dairy Lunch, Chicago, Ill., Philadelphia,
and San Francisco
F. M. Kirley, New Orleans, La.
Fralinger's Candy Store, Atlantic City, N. J.
Casino Pharmacy, Atlantic City, N. J.
P. J. Hallahan Shoe Store, Philadelphia, Pa.
Thomas F. Garrin, Florist, Boston, Mass.
Page & Shaw, Confectionery, Boston, Mass.
Waterman's Undertaking Est., Boston, Mass.
A. Shuman & Co., Boston, Mass.
Chandler & Co., Boston, Mass.
Marston's Restaurant, Boston, Mass.
Emery-Bird Thayer Dry Goods Co., Kansas City, Mo.
John Taylor's Dry Goods Co., Kansas City, Mo.
Bernheimer Dry Goods Co., Kansas City, Mo.
Mitchell Dry Goods Co., Kansas City, Mo.
Palace Clothing Co., Kansas City, Mo.
Jones Dry Goods Co., Kansas City, Mo.
Browning-King Clothing Co., Kansas City, Mo.
Besse-Avery Company, Kansas City, Mo.
Rothschild Bros. Clothing Co., Kansas City, Mo.
Owl Dry Goods Co., Kansas City, Mo.
Parisian Cloak Company, Kansas City, Mo.

COLOR CHART

of INTERLOCKING RUBBER TILING



BLUE

PEARL
GRAY




BUFF

SLATE



RED

WHITE




SALMON

BLACK



LIGHT
GREEN

LIGHT
CHOCOLATE



DARK
GREEN

DARK
CHOCOLATE






Plate 44




Plate C




Plate J




Plate K



Plate 41



Plate 50




Plate 28




Plate 45




Plate 48




Plate 49




Plate 46


COLOR CHART

of INTERLOCKING RUBBER TILING



BLUE

PEARL
GRAY




BUFF

SLATE




RED

WHITE



SALMON

BLACK



LIGHT
GREEN

LIGHT
CHOCOLATE



DARK
GREEN

DARK
CHOCOLATE

